


CECOM PQDRs and the NMP




When a CECOM PQDR is received, an Army master screener reviews and then assigns it to the appropriate CECOM directorate for investigation. Depending on the outcome, the deficient item may be repaired or replaced or the unit that submitted the PQDR may receive credit.

By accurately completing the information requested on the SF-368, *Product Quality Deficiency Report*, you can help speed up the investigation.

Some CECOM items are part of the National Maintenance Program (NMP), so it's especially important to include the date and location where the materiel was last repaired. Knowing when and where the item was repaired ensures the materiel is sent to the correct location.

Repair facilities in the NMP are held to the highest quality standards, which ensures users receive materiel that has been repaired properly.



Users with a valid user ID can log on directly to the site to submit PQDRs. Individuals without a PDREP user ID can still access the site and submit PQDRs through the "EZ PDR LOGON" tab.

In order to get a user ID, you must submit an access request. The access request form is found on the PDREP website at:

https://www.pdrep.csd.disa.mil/pdrep_files/accessforms/useraccess.htm

If you need further help with the CECOM PQDR process, email the CECOM PQDR team at:

usarmy.APG.cecom.mbx.lrc-leo-b16-pqdr-support-team@mail.mil

M2 Machine Gun... INSTRUCTIONS FOR M3 RECOIL AMPLIFIER?



Dear Half-Mast,
We have switched to short range training ammo for firing our M2 machine guns on the range. There is a specialized barrel used with these rounds called the M3 recoil amplifier. We can't find any info on using the M3. Can you help?

CPT J.G.

Dear Captain J.G.,
Yes I can! The M3 has its own TM, TM 9-1005-203-13&P. It's on the ETM website:
<https://www.logsa.army.mil/etms/welcom1.cfm>

Half-Mast